



visual model uml input output mandatory optional classify hierarchy

Search

Advanced Search

Web

Results 1 - 10 of about 15,500 for visual model uml input output mandatory optional classify hierarchy. (0.31 seconds)

[Show options...](#)1. [A UML profile for multidimensional **modeling** in data warehouses ...](#)

Finally, we have also defined another multiple classification **hierarchy** with the expression that creates an object (method new) and produces the **output**. ... The **UML** provides the use case diagram for **visual modeling** of use cases. is an **optional** feature of our approach and it is not **mandatory** to always ...

[linkinghub.elsevier.com/retrieve/pii/S0169023X0500176X](#) - [Similar](#)

by S Luján-Mora - 2006 - [Cited by 70](#) - [Related articles](#)

2. [Classifying variability **modeling** techniques - Elsevier](#)

Choices within this **hierarchy** are enabled by allowing alternative and **optional** assets Variants supports four types of features, i.e., **mandatory**, **optional** (0..1), The **output** of KConfig, the configuration interface of ConIPF, by **UML** Use Case Diagrams, **Modeling** Variability by **UML** Use Case Diagrams, ...

[linkinghub.elsevier.com/retrieve/pii/S0950584906001042](#) - [Similar](#)

by M Sinnema - 2007 - [Cited by 18](#) - [Related articles](#) - [All 5 versions](#)

[Show more results from linkinghub.elsevier.com](#)

3. [Describing Use Cases with Activity Charts](#)

used to **model** the system's containment **hierarchy**, the system can be specified with **UML** stereotypes representing **visual** components for data **output**. The distinction between include relationships (**mandatory**, **optional**) and gen- ... Graphical components can be **classified** as **input** (a text area or a button) and ...

[www.springerlink.com/index/0FENEU7QPN6Q8ARP.pdf](#) - [Similar](#)

by JM Almedros-Jiménez - [Cited by 4](#) - [Related articles](#) - [All 6 versions](#)

4. [\(PDF\) Using **UML** for **Modeling** Complex Real-Time Systems](#)

File Format: PDF/Adobe Acrobat - [Quick View](#)

well suited to this purpose so that no new **UML modeling** concepts were of structural **modeling** constructs. The state machine (which is **optional** not **mandatory** (the multiplicity string is sufficient) but it emphasizes purpose of the state is to chain an **input** transition to a separate **output** transition. ...

www.ibm.com/developerworks/rational/v.../1155_umlmodeling.pdf - [Similar](#)

by B Sello - [Cited by 508](#) - [Related articles](#) - [All 44 versions](#)

5. OO Development 4 - Object Concepts

We **classify** similar objects as a type of thing in order to categorize them and Superclass Subclass The **UML modeling** notation for inheritance returnType **optional optional mandatory optional** constructors; **UML Tools** Some ... This is a whole-part **hierarchy** , not a generalization-specialization **hierarchy**. ...

www.slideshare.net/.../oo-development-4-object-concepts - [Cached](#)

6. UML for ESL Design – Basic Principles, Tools, and Applications

units of **UML** with functional **input/output** behavior. Actions can be called by activities and state machines, structures or **hierarchies** of a **model**, such as the assignment of ... **UML** tools applicable for ESL design can be **classified** in four appropriate for each particular application domain **mandatory**. ...

portal.acm.org/ft_gateway.cfm?id=1233518&type=pdf

by W Mueller - 2006 - [Cited by 11](#) - [Related articles](#)

7. JOT: Journal of Object Technology - cmUML - A **UML**-based Framework ...

On the other hand Unified **Modeling** Language (**UML**), a de facto industry standard ... the **visual** specification languages like **UML** (Unified **Modeling** Language) and ... «gate» in SDL/**UML**). Port (Class): processes **input** or **output** of events of **mandatory** behavior while dashed ones represent **optional** behaviors [14]. ...

www.jot.fm/issues/issue_2008_11/article7/index.html - [Cached](#) - [Similar](#)

by J Suryadevara - [Related articles](#) - [All 2 versions](#)

8. [PDF] Classification of **Model** Transformation Approaches

File Format: PDF/Adobe Acrobat - [Quick View](#)

Mandatory feature. **Optional** feature. Alternative features ... the context of the QVT standardization effort, the **UML** Action Semantic [UAS] can be **output** for the other parts. The invertibility of a transformation depends In this paper, we **classified** the existing **model-to-model** transformation approaches ...

www.swen.uwaterloo.ca/~kozarnec/ECE7507/czarnecki_helsen.pdf - [Similar](#)

by K Czarnecki - 2003 - [Cited by 477](#) - [Related articles](#)

9. [PDF] OGC Reference **Model**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This **hierarchy** provides at least part of the basis for deciding if a Use the **UML WMS model** to define the appropriate XML Schema and Web ... **classified** as an OGC Sensor Collection Service by associating it with the corresponding Signature == **input + output + resource + control** ...
portal.opengeospatial.org/files/?artifact_id=3636 - [Similar](#)

10. [PDF] [DOMAIN ENGINEERING METHODOLOGIES SURVEY](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

[RD.38] Borland Together ce **Visual Modeling** for Software Architecture Design The Domain Design takes a Domain **Model** as **input** and applies a **mandatory**, **optional** or alternative and the relationships among features may be "composed-of, ... process based on Unified **Modeling Language (UML)** notation.
www.pnp-software.com/cordef/download/.../GMV-CORDET-PP-001_les1.pdf

Google
1 2 3 4 5 6 7 8 9 10 [Next](#)

visual model uml input output mandatory optional classify hierarchy

Search

[Search within results](#) - [Language Tools](#) - [Search Help](#) - [Dissatisfied? Help us improve](#) - [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)